



NIPI WAS ESTABLISHED IN ITALY IN 2014
WITH THE MISSION OF UPGRADING
ALL THE BENEFITS OF REAL DOWN
USING CUTTING-EDGE TECHNOLOGY
WHILE CARING FOR THE ENVIRONMENT
MAKING EARTH A BETTER PLACE FOR
NOW AND FUTURE GENERATIONS

REAL DOWN FABRIC

THE WORLD'S FIRST DOWN FABRIC

MADE IN ITALY

THE ULTIMATE IN WARMTH
NOW A FABRIC

SIMPLY CUT AND SEW



DOWN FABRIC

DELIVERS MAXIMUM WARMTH
LESS BULK & EVEN DISTRIBUTION

DOWN CHANNELS



CREATE COLD SPOTS
ADD BULK & LIMIT DESIGN



BENEFITS

END CONSUMER

- ▶ ELIMINATION OF DOWN SEEPAGE THROUGH FABRIC AND SEAMS
- ▶ EASY CARE, MACHINE WASHABLE OR DRY CLEANABLE
- ▶ RDS CERTIFIED: SUSTAINABLY SOURCED DOWN
OEKO-TEX CERTIFIED: SAFE AND NON TOXIC EVEN FOR CHILDRENSWEAR
- ▶ GRS CERTIFIED: 100% POST CONSUMER RECYCLED DOWN (THINDOWN RECYCLED)

DESIGN FLEXIBILITY

- ▶ NOW THIN SILHOUETTES ARE INCREDIBLY WARM
- ▶ DOWN NO LONGER LIMITED TO JACKETS AND OUTERWEAR
- ▶ CHOOSE ANY PATTERN, ANY QUILT, ANY EMBROIDERY
- ▶ REMOVING THE NEED FOR DOWN BAGS AND/OR CHANNELS DELIVERS TOTAL DESIGN FREEDOM

PRODUCTION AND FINANCIAL

- ▶ CHANNELS AND DOWN BAGS ARE NO LONGER NECESSARY
LABOR COSTS ARE THEREFORE REDUCED BY UP TO 25%
- ▶ PRODUCTION NO LONGER LIMITED TO DOWN FACTORIES.
EVERY FACTORY CAN NOW PRODUCE DOWN GARMENTS
- ▶ THIS NEW FLEXIBILITY MEANS FASTER PRODUCTION
RESULTING IN SHORTER LEAD TIMES

WHY THINDOWN

INNOVATIVE
TECHNOLOGY
RESOLVES
DOWN
SEEPAGE

THINDOWN
ELIMINATES
MIGRATION



MACHINE
WASH OR
DRY CLEAN
DEPENDING
ON SHELL
FABRIC



WASH ONLY AT 40°C WITH
GENTLE SOAP FOR WOOLENS



DO NOT USE ANY BLEACH



DRY CLEAN MILD ANY SOLVENT
EXCEPT TRICHLOROETHYLENE



ONLY WARM IRON 110°C
OR BELOW. WOOL SETTING



TUMBLE DRY NORMAL
LOW HEAT



DO NOT WRING

WATER WASHING:

USE ONLY GENTLE DETERGENT FOR WOOLENS

USE ONLY 1/3 THE NORMAL AMOUNT


WASH ONLY AT 40°C OR BELOW

DRY CLEANING:

MILD DRY CLEANING WITH ANY SOLVENT

EXCEPT TRICHLOROETHYLENE

DOWN
FABRIC
148/145 CM



THINDOWN THE REAL DOWN FABRIC

THINDOWN WEIGHTS

GRAMS/METER SQUARED
ROLLS OF 15-50M



CU 858275




MOQ 1 ROLL
CUSTOM CODE 6701 0000

THE WARMEST INSULATION AVAILABLE

THERMAL TEST DATA

CLO: TECHNICAL UNIT OF MEASURE FOR THERMAL INSULATION
HIGHER RATING = GREATER WARMTH

ALL TESTING PERFORMED BY **IDFL** LABORATORIES
ALL SAMPLES TESTED WITHIN IDENTICAL SHELL FABRIC



THINDOWN IDENTITY

HANGTAG &
SEW IN LABEL




LABEL



FOLDED

HANGTAG



OPTIONAL DOWNPROOF MEMBRANE

THINDOWN CAN BE
LAMINATED WITH A BREATHABLE,
DOWNPROOF, WINDPROOF
AND WATERPROOF MEMBRANE

RECOMMENDED WHEN USING
CASHMERE, WOOL, COTTON
OR ANY OTHER OPEN FABRIC



INTRODUCING
WARMTH
IN
MOTION



THINDOWN
◀ FLEX ▶

THINDOWN FLEX

WIDTH
145 CM

AVAILABLE IN 30 G/M²
ROLLS OF 50 METERS



MOQ - 1 ROLL
CUSTOM CODE 6701 0000

THINDOWN FLEX

THINDOWN FLEX IDENTITY

HANGTAG &
SEW IN LABEL



THINDOWN FLEX

LABEL



FOLDED

HANGTAG



THE BLEND OF REAL DOWN

+


PERFORMANCE OF POLYESTER

60% PURE WHITE DOWN 80/20
20% PL 20% PET/PE



THINDOWN ACTIVE

THINDOWN ACTIVE 148/145 CM



AVAILABLE IN 45,60,80 G/M²
25-50 M ROLLS

THINDOWN ACTIVE



CU 858275




MOQ 1 ROLL
CUSTOM CODE 6701 0000

THIN SUPERIOR WARMTH CONFIRMED

THERMAL TEST DATA

CLO: TECHNICAL UNIT OF MEASURE FOR THERMAL INSULATION
HIGHER RATING = GREATER WARMTH

ALL TESTING PERFORMED BY **IDFL** LABORATORIES
ALL SAMPLES TESTED WITHIN IDENTICAL SHELL FABRIC



THINDOWN ACTIVE IDENTITY



HANGTAGS &
SEW IN LABELS



INTRODUCING **SUSTAINABLE WARMTH**

100% RECYCLED NATURAL DOWN
REDUCED ENVIRONMENTAL IMPACT
REDUCED CARBON FOOTPRINT
LOW ENERGY IMPACT
REDUCED WASTE

THINDOWN RECYCLED

148/145 CM



AVAILABLE IN 45g & 60g
25-50 METER ROLLS



MOQ 1 ROLL
CUSTOM CODE 6701 0000

THINDOWN RECYCLED IDENTITY

HANGTAG &
SEW IN LABEL

LABEL



FOLDED



HANGTAG



THINDOWN + SORONA®

148/145 CM

AVAILABLE IN 45,60 & 80g
25-50 METER ROLLS

MOQ 1 ROLL
CUSTOM CODE 6701 0000



THINDOWN
+
SORONA®

IDENTITY

HANGTAGS & SEW IN LABELS

THE BEST OF NATURE + THE BEST OF SCIENCE



HANGTAG &
SEW IN LABEL



ALL THINDOWN PRODUCTS
ARE RDS CERTIFIED



CU 858275

GUARANTEEING
OUR DOWN IS
FULLY TRACEABLE &
SOCIALY RESPONSIBLE

SHELL FABRIC REQUIRED SPECIFICATIONS

YARN COUNT	Dernier Decitex	20 22	30 33	40 44	60 66	70 77
THREAD COUNT	(Picks/cm) (Picks/inch)	380 150	350 140	330 130	300 120	250 100

STORAGE

STORE THINDOWN ROLLS HORIZONTALLY WHERE
THEY CAN BREATHE HUMIDITY TO GAIN LOFT

CUTTING

CUT WITH SCISSORS, KNIFE, ULTRASOUND
OR VACUUM TABLE. NO LASER CUTTING

SEWING

CAN BE SEWN WITH ANY MACHINE,
PLEASE PRE-TEST NEEDLES AND THREADS.
SUGGESTED NEEDLE SUK/SIZE 70-80
LONGER GARMENTS NEED A
HIDDEN STITCH EVERY 20"

IRON/PRESS/HEAT

IRON TEMPERATURE LOWER THAN 110 °C.
USE WOOL SETTING